



Simmeringer Hauptstraße 96a, 1110 Wien

TECHNICAL INFORMATION SHEET

(last update: 2018-10-27)

Index

- 1. AUDIO**
- 2. LIGHTS**
- 3. STAGE/ POWER**
- 4. BACKLINE**
- 5. LOADING**

Technical Venue Manager

Bernhard Schurian

technik@simmcity.at

1. AUDIO

PA:

06 x d&b 4 x Y8 / 2 x Y12 per Side flown

06 x d&b Y SUB

04 x d&b E6 Nearfill

03 x d&b D80 Amping

FOH:

01 x Midas Pro 2C

01 x Midas DL251 48/16

01 x EV Netmax Audio Matrix System

MONITORING:

01 x Midas Pro1 series

Monitor world (all ins/outs) SR

08 x L Acoustics 115FM Monitors

02 x Sidefills: Meyer MSL4 plus Meyer 650P Subs

MICS:

Standard Set of Mics and DI's

List on request

Micstands: 10 large /10 small

2. LIGHTS

Please contact us to get an actual lightplot with DMX patch

3. STAGE

Stage size: 10 x 6 x 1,1m

Wings: 3 x 6m

Clearance: 3,9m

Power on stage:


63A CEE extra power for additional use

Power distro with 2 x 32A CEE

Risers:

10 decks 2 x 1 m

various feet (30cm/40cm/50cm) on request, please contact.



Canvas is behind a curtain



4. BACKLINE

There is a inhouse backline for hire, list on request

5. PARKING/LOADING

See parking plot:

- *) 32A CEE Bus power on request
- *) Truck parking on request **min 2 weeks before show**
- *) No power possible for Truck parking



LOADING:

90m push to audience ground level – (1 Elevator, no stairs)

Elevator: 0,90m x 2,20m x 2,80m – width x height x depth

Max. load 2.000kg



**For any question about this document please don't hesitate
contact us via email!**

**Bernhard Schurian
Technical Venue Manager
technik@simmcity.at**

Simmeringer Hauptstraße 96a